

**Time:** 2011-04-21T15:24:30  
**Benchmark:** config/checks/xccdf/USGCB\_ie8\_xccdf\_xml/benchmark.xml  
**Target:** 10.7.0.104  
**Profile:** united\_states\_government\_configuration\_baseline\_version\_1.1.0.0

## Flat Model Summary

NC(control was not evaluated)

NS(control was not selected for evaluation)

ID	Group	Flat Unweighted Model						
		Pass	Fail	NC	NS	Score	Max	%
0	<a href="#">core-policy</a>	0	12	0	0	0	12	0.00%
1	<a href="#">Compatibility-view-policy</a>	0	1	0	0	0	1	0.00%
2	<a href="#">Delete-Browsing-History-policy</a>	0	2	0	0	0	2	0.00%
3	<a href="#">InPrivate-policy</a>	0	1	0	0	0	1	0.00%
4	<a href="#">advanced-page-policy</a>	0	6	0	0	0	6	0.00%
5	<a href="#">security-page-policy</a>	0	1	0	0	0	1	0.00%
6	<a href="#">InternetZone_LocalComputer</a>	0	31	0	0	0	31	0.00%
7	<a href="#">IntranetZone_LocalComputer</a>	0	1	0	0	0	1	0.00%
8	<a href="#">LocalMachineZone_LocalComputer</a>	0	1	0	0	0	1	0.00%
9	<a href="#">LockedDownInternetZone_LocalComputer</a>	0	2	0	0	0	2	0.00%
10	<a href="#">LockedDownIntranetZone_LocalComputer</a>	0	1	0	0	0	1	0.00%
11	<a href="#">LockedDownLocalMachineZone_LocalComputer</a>	0	1	0	0	0	1	0.00%
12	<a href="#">LockedDownRestrictedSitesZone_LocalComputer</a>	0	1	0	0	0	1	0.00%
13	<a href="#">LockedDownTrustedSitesZone_LocalComputer</a>	0	1	0	0	0	1	0.00%
14	<a href="#">RestrictedSitesZone_LocalComputer</a>	0	38	0	0	0	38	0.00%
15	<a href="#">TrustedSitesZone_LocalComputer</a>	0	1	0	0	0	1	0.00%
16	<a href="#">periodic check for updates policy</a>	0	2	0	0	0	2	0.00%
17	<a href="#">ConsistentMimeHandling_LocalComputer</a>	0	1	0	0	0	1	0.00%
18	<a href="#">MimeSniffingSafetyFeature_LocalComputer</a>	0	1	0	0	0	1	0.00%
19	<a href="#">MKProtocolSecurityRestriction_LocalComputer</a>	0	1	0	0	0	1	0.00%
20	<a href="#">ProtectionFromZoneElevation_LocalComputer</a>	0	1	0	0	0	1	0.00%
21	<a href="#">RestrictActiveXInstall_LocalComputer</a>	0	1	0	0	0	1	0.00%
22	<a href="#">RestrictFileDownload_LocalComputer</a>	0	1	0	0	0	1	0.00%
23	<a href="#">ScriptedWindowSecurityRestrictions_LocalComputer</a>	0	1	0	0	0	1	0.00%
24	<a href="#">security_patches</a>	0	1	0	0	0	1	0.00%
25	<a href="#">Total</a>	0	111	0	0	0	111	0.00%

## Rule Summary

0. core-policy

FAI  
L

0.1	<a href="#">DisableConfiguringHistory LocalComputer</a> <a href="#">CCE-10387-9</a> - The "Disable "Configuring History"" machine setting should be configured correctly. <a href="#">CCE-66</a>	FAI L
0.2	<a href="#">DisableChangingAutomaticConfigurationSettings LocalComputer</a> <a href="#">CCE-10638-5</a> - The "Disable changing Automatic Configuration settings" machine setting should be configured correctly. <a href="#">CCE-471</a>	FAI L
0.3	<a href="#">DoNotAllowUsersEnableDisableAddOns LocalComputer</a> <a href="#">CCE-10235-0</a> - The "Do not allow users to enable or disable add-ons" machine setting should be configured correctly. <a href="#">CCE-708</a>	FAI L
0.4	<a href="#">MakeProxySettingsPerMachine LocalComputer</a> <a href="#">CCE-9870-7</a> - The "Make proxy settings per-machine (rather than per-user)" machine setting should be configured correctly. <a href="#">CCE-693</a>	FAI L
0.5	<a href="#">PreventParticipationInCustomerExperienceImprovementPrograms LocalComputer</a> <a href="#">CCE-10522-1</a> - The "Prevent participation in the Customer Experience Improvement Program" machine setting should be configured correctly. <a href="#">CCE-495</a>	FAI L
0.6	<a href="#">PreventPerformanceOfFirstRunCustomizeSettings LocalComputer</a> <a href="#">CCE-10641-9</a> - The "Prevent performance of First Run Customize settings" machine setting should be configured correctly. <a href="#">CCE-1006</a>	FAI L
0.7	<a href="#">DoNotAllowUsersAddDeleteSites LocalComputer</a> <a href="#">CCE-10394-5</a> - The "Security Zones: Do not allow users to add/delete sites" machine setting should be configured correctly. <a href="#">CCE-146</a>	FAI L
0.8	<a href="#">DoNotAllowUsersChangePolicies LocalComputer</a> <a href="#">CCE-10037-0</a> - The "Security Zones: Do not allow users to change policies" machine setting should be configured correctly. <a href="#">CCE-833</a>	FAI L
0.9	<a href="#">UseOnlyMachineSettings LocalComputer</a> <a href="#">CCE-10096-6</a> - The "Security Zones: Use only machine settings" machine setting should be configured correctly. <a href="#">CCE-5</a>	FAI L
0.10	<a href="#">TurnOffCrashDetection LocalComputer</a> <a href="#">CCE-10594-0</a> - The "Turn off Crash Detection" machine setting should be configured correctly. <a href="#">CCE-753</a>	FAI L
0.11	<a href="#">TurnoffManagingSmartScreenFilter LocalComputer</a> <a href="#">CCE-9973-9</a> - The "Turn off Managing SmartScreen Filter" machine setting should be configured correctly.	FAI L
0.12	<a href="#">TurnOffSecuritySettingsCheckFeature LocalComputer</a> <a href="#">CCE-10607-0</a> - The "Turn off the Security Settings Check feature" machine setting should be configured correctly. <a href="#">CCE-1054</a>	FAI L
<b>1. Compatibility-view-policy</b>		FAI L
1.1	<a href="#">IncludeUpdatedWebsiteListsFromMicrosoft LocalComputer</a> <a href="#">CCE-10603-9</a> - The "Include updated Web site lists from Microsoft" machine setting should be configured correctly.	FAI L

<b>2. Delete-Browsing-History-policy</b>		<b>FAI L</b>
<b>2.1</b>	<a href="#"><u>ConfigureDeleteBrowsingHistoryonexit LocalComputer</u></a> <b>CCE-10590-8</b> - The "Configure Delete Browsing History on exit" current user setting should be configured correctly.	<b>FAI L</b>
<b>2.2</b>	<a href="#"><u>PreventDeletingWebsiteshattheUserhasVisited LocalComputer</u></a> <b>CCE-10110-5</b> - The "Prevent Deleting Web sites that the User has Visited" machine setting should be configured correctly.	<b>FAI L</b>
<b>3. InPrivate-policy</b>		<b>FAI L</b>
<b>3.1</b>	<a href="#"><u>TurnOffInPrivateBrowsing LocalComputer</u></a> <b>CCE-9885-5</b> - The "Turn off InPrivate Browsing" machine setting should be configured correctly.	<b>FAI L</b>
<b>4. advanced-page-policy</b>		<b>FAI L</b>
<b>4.1</b>	<a href="#"><u>AllowActiveContentFromCD LocalComputer</u></a> <b>CCE-10293-9</b> - The "Allow active content from CDs to run on user machines" machine setting should be configured correctly. <b>CCE-964</b>	<b>FAI L</b>
<b>4.2</b>	<a href="#"><u>AllowSoftwareRunInstallSignatureInvalid LocalComputer</u></a> <b>CCE-10052-9</b> - The "Allow software to run or install even if the signature is invalid" machine setting should be configured correctly. <b>CCE-449</b>	<b>FAI L</b>
<b>4.3</b>	<a href="#"><u>AllowThird-PartyBrowserExtensions LocalComputer</u></a> <b>CCE-9905-1</b> - The "Allow third-party browser extensions" machine setting should be configured correctly. <b>CCE-598</b>	<b>FAI L</b>
<b>4.4</b>	<a href="#"><u>AutomaticallyCheckIEUpdates LocalComputer</u></a> <b>CCE-10581-7</b> - The "Automatically check for Internet Explorer updates" machine setting should be configured correctly. <b>CCE-1008</b>	<b>FAI L</b>
<b>4.5</b>	<a href="#"><u>CheckServerCertificateRevocation LocalComputer</u></a> <b>CCE-10074-3</b> - The "Check for server certificate revocation" machine setting should be configured correctly. <b>CCE-690</b>	<b>FAI L</b>
<b>4.6</b>	<a href="#"><u>CheckSignatureDownloadedPrograms LocalComputer</u></a> <b>CCE-10055-2</b> - The "Check for signatures on downloaded programs" machine setting should be configured correctly. <b>CCE-1025</b>	<b>FAI L</b>
<b>5. security-page-policy</b>		<b>FAI L</b>
<b>5.1</b>	<a href="#"><u>IncludeAllNetworkPaths LocalComputer</u></a> <b>CCE-9660-2</b> - The "Intranet Sites: Include all network paths (UNCs)" machine setting should be configured correctly. <b>CCE-876</b>	<b>FAI L</b>
<b>6. InternetZone_LocalComputer</b>		<b>FAI L</b>
<b>6.1</b>	<a href="#"><u>AccessDataSourcesAcrossDomains InternetZone LocalComputer</u></a> <b>CCE-10380-4</b> - The "Access data sources across domains" machine setting should be configured correctly for the Internet Zone.	<b>FAI L</b>

	<b><u>CCE-47</u></b>	
6.2	<b><u>AllowCutCopyPasteOperationsFromClipboardViaScript InternetZone LocalComputer</u></b> <b><u>CCE-10002-4</u></b> - The "Allow cut, copy or paste operations from the clipboard via script" machine setting should be configured correctly for the Internet Zone. <b><u>CCE-49</u></b>	FAI L
6.3	<b><u>AllowDragDropOrCopyPasteFiles InternetZone LocalComputer</u></b> <b><u>CCE-10033-9</u></b> - The "Allow drag and drop or copy and paste files" machine setting should be configured correctly for the Internet Zone. <b><u>CCE-685</u></b>	FAI L
6.4	<b><u>AllowFontDownloads InternetZone LocalComputer</u></b> <b><u>CCE-10403-4</u></b> - The "Allow font downloads" machine setting should be configured correctly for the Internet Zone. <b><u>CCE-491</u></b>	FAI L
6.5	<b><u>AllowInstallationOfDesktopItems InternetZone LocalComputer</u></b> <b><u>CCE-9790-7</u></b> - The "Allow installation of desktop items" machine setting should be configured correctly for the Internet Zone. <b><u>CCE-355</u></b>	FAI L
6.6	<b><u>AllowScriptingOfInternetExplorerWebBrowserControl InternetZone LocalComputer</u></b> <b><u>CCE-9779-0</u></b> - The "Allow scripting of Internet Explorer web browser control" current user setting should be configured correctly for the Internet Zone.	FAI L
6.7	<b><u>AllowScriptInitiatedWindowsWithoutSizeOrPositionConstraints InternetZone Local Computer</u></b> <b><u>CCE-9882-2</u></b> - The "Allow script-initiated windows without size or position constraints" machine setting should be configured correctly for the Internet Zone. <b><u>CCE-280</u></b>	FAI L
6.8	<b><u>AllowScriptlets InternetZone LocalComputer</u></b> <b><u>CCE-10685-6</u></b> - The "Allow Scriptlets" machine setting should be configured correctly for the Internet Zone. <b><u>CCE-439</u></b>	FAI L
6.9	<b><u>AllowStatusBarUpdatesViaScript InternetZone LocalComputer</u></b> <b><u>CCE-9750-1</u></b> - The "Allow status bar updates via script" machine setting should be configured correctly for the Internet Zone. <b><u>CCE-914</u></b>	FAI L
6.10	<b><u>AutomaticPromptingFileDownloads InternetZone LocalComputer</u></b> <b><u>CCE-10389-5</u></b> - The "Automatic prompting for file downloads" machine setting should be configured correctly for the Internet Zone. <b><u>CCE-16</u></b>	FAI L
6.11	<b><u>DownloadSignedActiveXControls InternetZone LocalComputer</u></b> <b><u>CCE-9917-6</u></b> - The "Download signed ActiveX controls" machine setting should be configured correctly for the Internet Zone. <b><u>CCE-1013</u></b>	FAI L
6.12	<b><u>DownloadUnsignedActiveXControls InternetZone LocalComputer</u></b> <b><u>CCE-10433-1</u></b> - The "Download unsigned ActiveX controls" machine setting should be configured correctly for the Internet Zone. <b><u>CCE-176</u></b>	FAI L
6.13	<b><u>IncludeLocalDirectoryPathWhenUploadingFilesToAServer InternetZone LocalComputer</u></b> <b><u>CCE-10646-8</u></b> - The "Include local directory path when uploading files to a server" machine setting should be configured correctly for the Internet Zone.	FAI L
6.14	<b><u>InitializeScriptActiveXControlsNotMarkedAsSafe InternetZone LocalComputer</u></b> <b><u>CCE-10561-9</u></b> - The "Initialize and script ActiveX controls not marked as safe" machine setting	FAI L

should be configured correctly for the Internet Zone.

[CCE-586](#)

6.1 5	<a href="#">JavaPermissions InternetZone LocalComputer</a> <a href="#">CCE-10182-4</a> - The "Java permissions" machine setting should be configured correctly for the Internet Zone. <a href="#">CCE-132</a>	FAI L
6.1 6	<a href="#">LaunchingApplicationsAndFilesInIFRAME InternetZone LocalComputer</a> <a href="#">CCE-9821-0</a> - The "Launching applications and files in an IFRAME" machine setting should be configured correctly for the Internet Zone. <a href="#">CCE-689</a>	FAI L
6.1 7	<a href="#">LaunchingProgramsAndUnsafeFiles InternetZone LocalComputer</a> <a href="#">CCE-10650-0</a> - The "Launching programs and unsafe files" machine setting should be configured correctly for the Internet Zone.	FAI L
6.1 8	<a href="#">LogonOptions InternetZone LocalComputer</a> <a href="#">CCE-10472-9</a> - The "Logon options" machine setting should be configured correctly for the Internet Zone. <a href="#">CCE-720</a>	FAI L
6.1 9	<a href="#">LooseXAMLFiles InternetZone LocalComputer</a> <a href="#">CCE-10672-4</a> - The "Loose XAML files" machine setting should be configured correctly for the Internet Zone. <a href="#">CCE-126</a>	FAI L
6.2 0	<a href="#">NavigateSubFramesAcrossDifferentDomains InternetZone LocalComputer</a> <a href="#">CCE-9865-7</a> - The "Navigate windows and frames across different domains" machine setting should be configured correctly for the Internet Zone. <a href="#">CCE-245</a>	FAI L
6.2 1	<a href="#">OnlyAllowApprovedDomainsToUseActiveXControlsWithoutPrompt InternetZone LocalComputer</a> <a href="#">CCE-9793-1</a> - The "Only allow approved domains to use ActiveX controls without prompt" machine setting should be configured correctly for the Internet Zone.	FAI L
6.2 2	<a href="#">OpenFilesBasedOnContent InternetZone LocalComputer</a> <a href="#">CCE-10107-1</a> - The "Open files based on content, not file extension" machine setting should be configured correctly for the Internet Zone. <a href="#">CCE-910</a>	FAI L
6.2 3	<a href="#">RunNETFrameworkReliantComponentsNotSignedWithAuthenticode InternetZone LocalComputer</a> <a href="#">CCE-10515-5</a> - The "Run .NET Framework-reliant components signed with Authenticode" machine setting should be configured correctly for the Internet Zone.	FAI L
6.2 4	<a href="#">RunNETFrameworkReliantComponentsSignedWithAuthenticode InternetZone LocalComputer</a> <a href="#">CCE-10625-2</a> - The "Run .NET Framework-reliant components not signed with Authenticode" machine setting should be configured correctly for the Internet Zone.	FAI L
6.2 5	<a href="#">SoftwareChannelPermissions InternetZone LocalComputer</a> <a href="#">CCE-10425-7</a> - The "Software channel permissions" machine setting should be configured correctly for the Internet Zone. <a href="#">CCE-359</a>	FAI L
6.2 6	<a href="#">TurnOffFirstRunOptIn InternetZone LocalComputer</a> <a href="#">CCE-10434-9</a> - The "Turn Off First-Run Opt-In" machine setting should be configured correctly for the Internet Zone. <a href="#">CCE-863</a>	FAI L
6.2 7	<a href="#">TurnonCrossSiteScriptingFilter InternetZone LocalComputer</a> <a href="#">CCE-10276-4</a> - The "Turn on Cross-Site Scripting (XSS) Filter" machine setting should be	FAI L

	configured correctly for the Internet Zone.	
<b>6.28</b>	<a href="#"><u>TurnOnProtectedMode InternetZone LocalComputer</u></a> <a href="#"><u>CCE-10676-5</u></a> - The "Turn on Protected Mode" machine setting should be configured correctly for the Internet Zone. <a href="#"><u>CCE-281</u></a>	FAIL
<b>6.29</b>	<a href="#"><u>UsePop-upBlocker InternetZone LocalComputer</u></a> <a href="#"><u>CCE-10486-9</u></a> - The "Use Pop-up Blocker" machine setting should be configured correctly for the Internet Zone. <a href="#"><u>CCE-1002</u></a>	FAIL
<b>6.30</b>	<a href="#"><u>UserdataPersistence InternetZone LocalComputer</u></a> <a href="#"><u>CCE-10200-4</u></a> - The "Userdata persistence" machine setting should be configured correctly for the Internet Zone. <a href="#"><u>CCE-425</u></a>	FAIL
<b>6.31</b>	<a href="#"><u>WebSitesInLessPrivilegedWebContentZonesCanNavigateIntoThisZone InternetZone LocalComputer</u></a> <a href="#"><u>CCE-10622-9</u></a> - The "Web sites in less privileged Web content zones can navigate into this zone" machine setting should be configured correctly for the Internet Zone. <a href="#"><u>CCE-724</u></a>	FAIL
<b>7. IntranetZone_LocalComputer</b>		FAIL
<b>7.1</b>	<a href="#"><u>JavaPermissions IntranetZone LocalComputer</u></a> <a href="#"><u>CCE-10566-8</u></a> - The "Java permissions" machine setting should be configured correctly for the Intranet Zone. <a href="#"><u>CCE-218</u></a>	FAIL
<b>8. LocalMachineZone_LocalComputer</b>		FAIL
<b>8.1</b>	<a href="#"><u>JavaPermissions LocalMachineZone LocalComputer</u></a> <a href="#"><u>CCE-10319-2</u></a> - The "Java permissions" machine setting should be configured correctly for the Local Machine Zone. <a href="#"><u>CCE-138</u></a>	FAIL
<b>9. LockedDownInternetZone_LocalComputer</b>		FAIL
<b>9.1</b>	<a href="#"><u>DownloadSignedActiveXControls LockedDownInternetZone LocalComputer</u></a> <a href="#"><u>CCE-10095-8</u></a> - The "Download signed ActiveX controls" machine setting should be configured correctly for the Locked-Down Internet Zone. <a href="#"><u>CCE-308</u></a>	FAIL
<b>9.2</b>	<a href="#"><u>JavaPermissions LockedDownInternetZone LocalComputer</u></a> <a href="#"><u>CCE-10597-3</u></a> - The "Java permissions" machine setting should be configured correctly for the Locked-Down Internet Zone. <a href="#"><u>CCE-781</u></a>	FAIL
<b>10. LockedDownIntranetZone_LocalComputer</b>		FAIL
<b>10.1</b>	<a href="#"><u>JavaPermissions LockedDownIntranetZone LocalComputer</u></a> <a href="#"><u>CCE-10342-4</u></a> - The "Java permissions" machine setting should be configured correctly for the Locked-Down Intranet Zone. <a href="#"><u>CCE-320</u></a>	FAIL
<b>11. LockedDownLocalMachineZone_LocalComputer</b>		FAIL
<b>11.1</b>	<a href="#"><u>JavaPermissions LockedDownLocalMachineZone LocalComputer</u></a> <a href="#"><u>CCE-10535-3</u></a> - The "Java permissions" machine setting should be configured correctly for the	FAIL

	Locked-Down Local Machine Zone. <a href="#">CCE-1045</a>	
<b>12. LockedDownRestrictedSitesZone_LocalComputer</b>		<b>FAIL</b>
12.1	<a href="#">JavaPermissions LockedDownRestrictedSitesZone_LocalComputer CCE-10275-6</a> - The "Java permissions" machine setting should be configured correctly for the Locked-Down Restricted Sites Zone. <a href="#">CCE-1088</a>	FAIL
<b>13. LockedDownTrustedSitesZone_LocalComputer</b>		<b>FAIL</b>
13.1	<a href="#">JavaPermissions LockedDownTrustedSitesZone_LocalComputer CCE-10654-2</a> - The "Java permissions" machine setting should be configured correctly for the Locked-Down Trusted Sites Zone. <a href="#">CCE-140</a>	FAIL
<b>14. RestrictedSitesZone_LocalComputer</b>		<b>FAIL</b>
14.1	<a href="#">AccessDataSourcesAcrossDomains RestrictedSitesZone_LocalComputer CCE-10525-4</a> - The "Access data sources across domains" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-636</a>	FAIL
14.2	<a href="#">AllowActiveScripting RestrictedSitesZone_LocalComputer CCE-10393-7</a> - The "Allow active scripting" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-292</a>	FAIL
14.3	<a href="#">AllowBinaryAndScriptBehaviors RestrictedSitesZone_LocalComputer CCE-10547-8</a> - The "Allow binary and script behaviors" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-178</a>	FAIL
14.4	<a href="#">AllowCutCopyPasteOperationsFromClipboardViaScript RestrictedSitesZone_LocalComputer CCE-10539-5</a> - The "Allow cut, copy or paste operations from the clipboard via script" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-1031</a>	FAIL
14.5	<a href="#">AllowDragDropOrCopyPasteFiles RestrictedSitesZone_LocalComputer CCE-9667-7</a> - The "Allow drag and drop or copy and paste files" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-41</a>	FAIL
14.6	<a href="#">AllowFileDownloads RestrictedSitesZone_LocalComputer CCE-10466-1</a> - The "Allow file downloads" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-970</a>	FAIL
14.7	<a href="#">AllowFontDownloads RestrictedSitesZone_LocalComputer CCE-9982-0</a> - The "Allow font downloads" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-882</a>	FAIL
14.8	<a href="#">AllowInstallationOfDesktopItems RestrictedSitesZone_LocalComputer CCE-10475-2</a> - The "Allow installation of desktop items" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-763</a>	FAIL
14.	<a href="#">AllowScriptingOfInternetExplorerWebBrowserControl RestrictedSitesZone_LocalCo</a>	FAIL

9	<a href="#">mputer</a> <a href="#">CCE-10725-0</a> - The "Allow scripting of Internet Explorer web browser control" current user setting should be configured correctly for the Restricted Sites Zone.	L
14. 10	<a href="#">AllowMETAREFRESH RestrictedSitesZone LocalComputer</a> <a href="#">CCE-10664-1</a> - The "Allow META REFRESH" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-680</a>	FAI L
14. 11	<a href="#">AllowScriptInitiatedWindowsWithoutSizeOrPositionConstraints RestrictedSitesZone LocalComputer</a> <a href="#">CCE-9814-5</a> - The "Allow script-initiated windows without size or position constraints" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-208</a>	FAI L
14. 12	<a href="#">AllowScriptlets RestrictedSitesZone LocalComputer</a> <a href="#">CCE-10630-2</a> - The "Allow Scriptlets" machine setting should be configured correctly for the Restricted Sites Zone.	FAI L
14. 13	<a href="#">AllowStatusBarUpdatesViaScript RestrictedSitesZone LocalComputer</a> <a href="#">CCE-10431-5</a> - The "Allow status bar updates via script" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-129</a>	FAI L
14. 14	<a href="#">AutomaticPromptingFileDownloads RestrictedSitesZone LocalComputer</a> <a href="#">CCE-9959-8</a> - The "Automatic prompting for file downloads" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-175</a>	FAI L
14. 15	<a href="#">DownloadSignedActiveXControls RestrictedSitesZone LocalComputer</a> <a href="#">CCE-10470-3</a> - The "Download signed ActiveX controls" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-52</a>	FAI L
14. 16	<a href="#">DownloadUnsignedActiveXControls RestrictedSitesZone LocalComputer</a> <a href="#">CCE-10461-2</a> - The "Download unsigned ActiveX controls" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-1012</a>	FAI L
14. 17	<a href="#">IncludeLocalDirectoryPathWhenUploadingFilesToAServer RestrictedSitesZone Local Computer</a> <a href="#">CCE-9781-6</a> - The "Include local directory path when uploading files to a server" machine setting should be configured correctly for the Restricted Sites Zone.	FAI L
14. 18	<a href="#">InitializeScriptActiveXControlsNotMarkedAsSafe RestrictedSitesZone Local Computer</a> <a href="#">CCE-10347-3</a> - The "Initialize and script ActiveX controls not marked as safe" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-26</a>	FAI L
14. 19	<a href="#">JavaPermissions RestrictedSitesZone LocalComputer</a> <a href="#">CCE-10620-3</a> - The "Java permissions" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-1088</a>	FAI L
14. 20	<a href="#">LaunchingApplicationsAndFilesInIFRAME RestrictedSitesZone LocalComputer</a> <a href="#">CCE-10360-6</a> - The "Launching applications and files in an IFRAME" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-339</a>	FAI L
14. 21	<a href="#">LaunchingProgramsAndUnsafeFiles RestrictedSitesZone LocalComputer</a> <a href="#">CCE-10744-1</a> - The "Launching programs and unsafe files" machine setting should be configured correctly for the Restricted Sites Zone.	FAI L

14. 22	<b><u>LogonOptions RestrictedSitesZone LocalComputer</u></b> <b><u>CCE-10651-8</u></b> - The "Logon options" machine setting should be configured correctly for the Restricted Sites Zone. <b><u>CCE-128</u></b>	FAI L
14. 23	<b><u>LooseXAMLFiles RestrictedSitesZone LocalComputer</u></b> <b><u>CCE-10178-2</u></b> - The "Loose XAML files" machine setting should be configured correctly for the Restricted Sites Zone. <b><u>CCE-639</u></b>	FAI L
14. 24	<b><u>NavigateSub-framesAcrossDifferentDomains RestrictedSitesZone LocalComputer</u></b> <b><u>CCE-10642-7</u></b> - The "Navigate windows and frames across different domains" machine setting should be configured correctly for the Restricted Sites Zone. <b><u>CCE-995</u></b>	FAI L
14. 25	<b><u>OnlyAllowApprovedDomainsToUseActiveXControlsWithoutPrompt RestrictedSitesZone LocalComputer</u></b> <b><u>CCE-9832-7</u></b> - The "Only allow approved domains to use ActiveX controls without prompt" machine setting should be configured correctly for the Restricted Sites Zone.	FAI L
14. 26	<b><u>OpenFilesBasedOnContent RestrictedSitesZone LocalComputer</u></b> <b><u>CCE-10277-2</u></b> - The "Open files based on content, not file extension" machine setting should be configured correctly for the Restricted Sites Zone. <b><u>CCE-409</u></b>	FAI L
14. 27	<b><u>RunNETFrameworkReliantComponentsNotSignedWithAuthenticode RestrictedSitesZone LocalComputer</u></b> <b><u>CCE-9898-8</u></b> - The "Run .NET Framework-reliant components not signed with Authenticode" machine setting should be configured correctly for the Restricted Sites Zone. <b><u>CCE-678</u></b>	FAI L
14. 28	<b><u>RunNETFrameworkReliantComponentsSignedWithAuthenticode RestrictedSitesZone LocalComputer</u></b> <b><u>CCE-9673-5</u></b> - The "Run .NET Framework-reliant components signed with Authenticode" machine setting should be configured correctly for the Restricted Sites Zone. <b><u>CCE-563</u></b>	FAI L
14. 29	<b><u>RunActiveXControlsAndPlugins RestrictedSitesZone LocalComputer</u></b> <b><u>CCE-9792-3</u></b> - The "Run ActiveX controls and plugins" machine setting should be configured correctly for the Restricted Sites Zone. <b><u>CCE-841</u></b>	FAI L
14. 30	<b><u>ScriptActiveXControlsMarkedSafeForScripting RestrictedSitesZone LocalComputer</u></b> <b><u>CCE-10554-4</u></b> - The "Script ActiveX controls marked safe for scripting" machine setting should be configured correctly for the Restricted Sites Zone. <b><u>CCE-973</u></b>	FAI L
14. 31	<b><u>ScriptingOfJavaApplets RestrictedSitesZone LocalComputer</u></b> <b><u>CCE-10083-4</u></b> - The "Scripting of Java applets" machine setting should be configured correctly for the Restricted Sites Zone. <b><u>CCE-1000</u></b>	FAI L
14. 32	<b><u>SoftwareChannelPermissions RestrictedSitesZone LocalComputer</u></b> <b><u>CCE-9669-3</u></b> - The "Software channel permissions" machine setting should be configured correctly for the Restricted Sites Zone. <b><u>CCE-520</u></b>	FAI L
14. 33	<b><u>TurnOffFirstRunOptIn RestrictedSitesZone LocalComputer</u></b> <b><u>CCE-10420-8</u></b> - The "Turn Off First-Run Opt-In" machine setting should be configured correctly for the Restricted Sites Zone. <b><u>CCE-200</u></b>	FAI L
14.	<b><u>TurnonCrossSiteScriptingFilter RestrictedSitesZone LocalComputer</u></b>	FAI

34	<a href="#">CCE-10105-5</a> - The "Turn on Cross-Site Scripting (XSS) Filter" machine setting should be configured correctly for the Restricted Sites Zone.	L
<b>14. <a href="#">TurnOnProtectedMode RestrictedSitesZone LocalComputer</a></b>		
14. 35	<a href="#">CCE-9945-7</a> - The "Turn on Protected Mode" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-1211</a>	FAI L
<b>14. <a href="#">UsePop-upBlocker RestrictedSitesZone LocalComputer</a></b>		
14. 36	<a href="#">CCE-10094-1</a> - The "Use Pop-up Blocker" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-660</a>	FAI L
<b>14. <a href="#">UserdataPersistence RestrictedSitesZone LocalComputer</a></b>		
14. 37	<a href="#">CCE-9760-0</a> - The "Userdata persistence" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-28</a>	FAI L
<b>14. <a href="#">WebSitesInLessPrivilegedWebContentZonesCanNavigateIntoThisZone RestrictedSitesZone LocalComputer</a></b>		
14. 38	<a href="#">CCE-10609-6</a> - The "Web sites in less privileged Web content zones can navigate into this zone" machine setting should be configured correctly for the Restricted Sites Zone. <a href="#">CCE-698</a>	FAI L
<b>15. TrustedSitesZone_LocalComputer</b>		
FAI L		
<b>15. <a href="#">JavaPermissions TrustedSitesZone LocalComputer</a></b>		
15. 1	<a href="#">CCE-10696-3</a> - The "Java permissions" machine setting should be configured correctly for the Trusted Sites Zone. <a href="#">CCE-675</a>	FAI L
<b>16. periodic_check_for_updates_policy</b>		
FAI L		
<b>16. <a href="#">TurnOffChangingURLDisplay LocalComputer</a></b>		
16. 1	<a href="#">CCE-10595-7</a> - The "Turn off changing the URL to be displayed for checking updates to Internet Explorer and Internet Tools" machine setting should be configured correctly. <a href="#">CCE-946</a>	FAI L
<b>16. <a href="#">TurnOffConfiguringUpdateCheckInterval LocalComputer</a></b>		
16. 2	<a href="#">CCE-9776-6</a> - The "Turn off configuring the update check interval (in days)" machine setting should be configured correctly. <a href="#">CCE-237</a>	FAI L
<b>17. ConsistentMimeHandling_LocalComputer</b>		
FAI L		
<b>17. <a href="#">IEProcesses ConsistentMimeHandling LocalComputer</a></b>		
17. 1	<a href="#">CCE-10138-6</a> - The "Consistent Mime Handling: Internet Explorer Processes" machine setting should be configured correctly. <a href="#">CCE-382</a>	FAI L
<b>18. MimeSniffingSafetyFeature_LocalComputer</b>		
FAI L		
<b>18. <a href="#">IEProcesses MimeSniffingSafetyFeature LocalComputer</a></b>		
18. 1	<a href="#">CCE-10635-1</a> - The "Mime Sniffing Safety Feature: Internet Explorer Processes" machine setting should be configured correctly. <a href="#">CCE-985</a>	FAI L
<b>19. MKProtocolSecurityRestriction_LocalComputer</b>		
FAI L		
<b>19. <a href="#">IEProcesses MKProtocolSecurityRestriction LocalComputer</a></b>		
FAI		

1	<a href="#">CCE-10265-7</a> - The "MK Protocol Security Restriction: Internet Explorer Processes" machine setting should be configured correctly. <a href="#">CCE-591</a>	L
<b>20. ProtectionFromZoneElevation_LocalComputer</b>		<b>FAIL</b>
20.1	<a href="#">IEProcesses ProtectionFromZoneElevation_LocalComputer</a> <a href="#">CCE-10574-2</a> - The "Protection From Zone Elevation: Internet Explorer Processes" machine setting should be configured correctly. <a href="#">CCE-347</a>	FAIL
<b>21. RestrictActiveXInstall_LocalComputer</b>		<b>FAIL</b>
21.1	<a href="#">IEProcesses RestrictActiveXInstall_LocalComputer</a> <a href="#">CCE-10405-9</a> - The "Restrict ActiveX Install: Internet Explorer Processes" machine setting should be configured correctly. <a href="#">CCE-119</a>	FAIL
<b>22. RestrictFileDownload_LocalComputer</b>		<b>FAIL</b>
22.1	<a href="#">IEProcesses RestrictFileDownload_LocalComputer</a> <a href="#">CCE-10578-3</a> - The "Restrict File Download: Internet Explorer Processes" machine setting should be configured correctly. <a href="#">CCE-668</a>	FAIL
<b>23. ScriptedWindowSecurityRestrictions_LocalComputer</b>		<b>FAIL</b>
23.1	<a href="#">IEProcesses ScriptedWindowSecurityRestrictions_LocalComputer</a> <a href="#">CCE-10604-7</a> - The "Scripted Window Security Restrictions: Internet Explorer Processes" machine setting should be configured correctly. <a href="#">CCE-827</a>	FAIL
<b>24. security_patches</b>		<b>FAIL</b>
24.1	<a href="#">security_patches_up_to_date</a>	FAIL

## Rule Technical Details

<b>0. core-policy</b>		<b>FAIL</b>
0.1	<b>DisableConfiguringHistory_LocalComputer</b> <b>CCE-10387-9</b> - The "Disable "Configuring History"" machine setting should be configured correctly. <b>CCE-66</b>	FAIL
( 0.1.0 and 0.1.1 and 0.1.2)		
<b>-- 0.1.0 --</b>		
<b>Actual</b>		<b>Expected / Result</b>
A version of Microsoft Internet Explorer 8 is installed.		TRUE

-- 0.1.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;1&lt;/value&gt; &lt;/registry_state&gt;</pre>

-- 0.1.2 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value operation="greater than or equal" datatype="int"&gt;40&lt;/value&gt; &lt;/registry_state&gt;</pre>

**DisableChangingAutomaticConfigurationSettings\_LocalComputer**  
**CCE-10638-5** - The "Disable changing Automatic Configuration settings" machine setting should be configured correctly. FAI  
L  
**CCE-471**

( 0.2.0 and 0.2.1)

-- 0.2.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 0.2.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;1&lt;/value&gt; &lt;/registry_state&gt;</pre>

**DoNotAllowUsersEnableDisableAddOns\_LocalComputer**  
**CCE-10235-0** - The "Do not allow users to enable or disable add-ons" machine setting should be configured correctly. FAI  
L  
**CCE-708**

( 0.3.0 and 0.3.1)

-- 0.3.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 0.3.1 --

Actual	Expected / Result

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
`<registry_state>`  
`<type>reg_dword</type>`  
`<value datatype="int">1</value>`  
`</registry_state>`

**0.4** **MakeProxySettingsPerMachine\_LocalComputer**  
**CCE-9870-7** - The "Make proxy settings per-machine (rather than per-user)" machine setting should be configured correctly. **FAIL**  
**CCE-693**

( 0.4.0 and 0.4.1)

-- 0.4.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 0.4.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
`<registry_state>`  
`<type>reg_dword</type>`  
`<value datatype="int">1</value>`  
`</registry_state>`

**0.5** **PreventParticipationInCustomerExperienceImprovementPrograms\_LocalComputer**  
**CCE-10522-1** - The "Prevent participation in the Customer Experience Improvement Program" machine setting should be configured correctly. **FAIL**  
**CCE-495**

( 0.5.0 and 0.5.1)

-- 0.5.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 0.5.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
`<registry_state>`  
`<type>reg_dword</type>`  
`<value datatype="int">0</value>`  
`</registry_state>`

**0.6** **PreventPerformanceOfFirstRunCustomizeSettings\_LocalComputer**  
**CCE-10641-9** - The "Prevent performance of First Run Customize settings" machine setting should be configured correctly. **FAIL**  
**CCE-1006**

( 0.6.0 and 0.6.1)

-- 0.6.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 0.6.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>  
<type>reg_dword</type>  
<value datatype="int">1</value>  
</registry_state>
```

0.7

**DoNotAllowUsersAddDeleteSites\_LocalComputer**

**CCE-10394-5** - The "Security Zones: Do not allow users to add/delete sites" machine setting should be configured correctly.  
**CCE-146**

FAI  
L

( 0.7.0 and 0.7.1)

-- 0.7.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 0.7.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>  
<type>reg_dword</type>  
<value datatype="int">1</value>  
</registry_state>
```

0.8

**DoNotAllowUsersChangePolicies\_LocalComputer**

**CCE-10037-0** - The "Security Zones: Do not allow users to change policies" machine setting should be configured correctly.  
**CCE-833**

FAI  
L

( 0.8.0 and 0.8.1)

-- 0.8.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 0.8.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
```

```
<type>reg_dword</type>
<value datatype="int">1</value>
</registry_state>
```

0.9	<b>UseOnlyMachineSettings_LocalComputer</b> <b>CCE-10096-6</b> - The "Security Zones: Use only machine settings" machine setting should be configured correctly. <b>CCE-5</b>	<b>FAIL</b> <b>L</b>
-----	---	-------------------------

( 0.9.0 and 0.9.1)

-- 0.9.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.	TRUE
--	------

-- 0.9.1 --

Actual	Expected / Result
--------	-------------------

	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt; &lt;type&gt;reg_dword&lt;/type&gt; &lt;value datatype="int"&gt;1&lt;/value&gt; &lt;/registry_state&gt;</pre>
--	--

0.10	<b>TurnOffCrashDetection_LocalComputer</b> <b>CCE-10594-0</b> - The "Turn off Crash Detection" machine setting should be configured correctly. <b>CCE-753</b>	<b>FAIL</b> <b>L</b>
------	---	-------------------------

( 0.10.0 and 0.10.1)

-- 0.10.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.	TRUE
--	------

-- 0.10.1 --

Actual	Expected / Result
--------	-------------------

	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt; &lt;type&gt;reg_dword&lt;/type&gt; &lt;value datatype="int"&gt;1&lt;/value&gt; &lt;/registry_state&gt;</pre>
--	--

0.11	<b>TurnoffManagingSmartScreenFilter_LocalComputer</b> <b>CCE-9973-9</b> - The "Turn off Managing SmartScreen Filter" machine setting should be configured correctly.	<b>FAIL</b> <b>L</b>
------	---	-------------------------

( 0.11.0 and 0.11.1)

-- 0.11.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 0.11.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">0</value>  
</registry\_state>

### TurnOffSecuritySettingsCheckFeature\_LocalComputer

**0.12**

**CCE-10607-0** - The "Turn off the Security Settings Check feature" machine setting should be configured correctly.  
**CCE-1054**

**FAI**  
**L**

( 0.12.0 and 0.12.1)

-- 0.12.0 --

**Actual**

**Expected / Result**

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 0.12.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">0</value>  
</registry\_state>

## 1. Compatibility-view-policy

**FAI**  
**L**

**1.1**

### IncludeUpdatedWebsiteListsFromMicrosoft\_LocalComputer

**CCE-10603-9** - The "Include updated Web site lists from Microsoft" machine setting should be configured correctly.

**FAI**  
**L**

( 1.1.0 and 1.1.1)

-- 1.1.0 --

**Actual**

**Expected / Result**

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 1.1.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">0</value>  
</registry\_state>

<b>2. Delete-Browsing-History-policy</b>		<b>FAIL</b>
--	--	-------------

<b>2.1</b>	<b>ConfigureDeleteBrowsingHistoryonexit_LocalComputer</b> <b>CCE-10590-8</b> - The "Configure Delete Browsing History on exit" current user setting should be configured correctly.	<b>FAIL</b>
------------	--	-------------

( 2.1.0 and 2.1.1)

**-- 2.1.0 --**

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

**-- 2.1.1 --**

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre> &lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;0&lt;/value&gt; &lt;/registry_state&gt;           </pre>

<b>2.2</b>	<b>PreventDeletingWebsitesattheUserhasVisited_LocalComputer</b> <b>CCE-10110-5</b> - The "Prevent Deleting Web sites that the User has Visited" machine setting should be configured correctly.	<b>FAIL</b>
------------	--	-------------

( 2.2.0 and 2.2.1)

**-- 2.2.0 --**

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

**-- 2.2.1 --**

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre> &lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;0&lt;/value&gt; &lt;/registry_state&gt;           </pre>

<b>3. InPrivate-policy</b>		<b>FAIL</b>
----------------------------	--	-------------

<b>3.1</b>	<b>TurnOffInPrivateBrowsing_LocalComputer</b> <b>CCE-9885-5</b> - The "Turn off InPrivate Browsing" machine setting should be configured correctly.	<b>FAIL</b>
------------	--	-------------

( 3.1.0 and 3.1.1)

**-- 3.1.0 --**

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 3.1.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">0</value>  
</registry\_state>

#### 4. advanced-page-policy

**FAI  
L**

4.1

##### **AllowActiveContentFromCD\_LocalComputer**

**CCE-10293-9** - The "Allow active content from CDs to run on user machines" machine setting should be configured correctly.  
**CCE-964**

**FAI  
L**

( 4.1.0 and 4.1.1)

-- 4.1.0 --

**Actual**

**Expected / Result**

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 4.1.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">0</value>  
</registry\_state>

4.2

##### **AllowSoftwareRunInstallSignatureInvalid\_LocalComputer**

**CCE-10052-9** - The "Allow software to run or install even if the signature is invalid" machine setting should be configured correctly.  
**CCE-449**

**FAI  
L**

( 4.2.0 and 4.2.1)

-- 4.2.0 --

**Actual**

**Expected / Result**

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 4.2.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">0</value>

</registry\_state>

4.3	<b>AllowThirdPartyBrowserExtensions_LocalComputer</b> <b>CCE-9905-1</b> - The "Allow third-party browser extensions" machine setting should be configured correctly. <b>CCE-598</b>	FAIL
-----	---	------

( 4.3.0 and 4.3.1)

-- 4.3.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 4.3.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_sz</type> <value datatype="string">no</value> </registry_state>

4.4	<b>AutomaticallyCheckIEUpdates_LocalComputer</b> <b>CCE-10581-7</b> - The "Automatically check for Internet Explorer updates" machine setting should be configured correctly. <b>CCE-1008</b>	FAIL
-----	---	------

( 4.4.0 and 4.4.1)

-- 4.4.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 4.4.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">1</value> </registry_state>

4.5	<b>CheckServerCertificateRevocation_LocalComputer</b> <b>CCE-10074-3</b> - The "Check for server certificate revocation" machine setting should be configured correctly. <b>CCE-690</b>	FAIL
-----	---	------

( 4.5.0 and 4.5.1)

-- 4.5.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 4.5.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">1</value>  
</registry\_state>

**CheckSignatureDownloadedPrograms\_LocalComputer**

4.6

**CCE-10055-2** - The "Check for signatures on downloaded programs" machine setting should be configured correctly.  
**CCE-1025**

FAI  
L

( 4.6.0 and 4.6.1)

-- 4.6.0 --

**Actual**

**Expected / Result**

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 4.6.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_sz</type>  
<value datatype="string">yes</value>  
</registry\_state>

**5. security-page-policy**

FAI  
L

5.1

**IncludeAllNetworkPaths\_LocalComputer**

**CCE-9660-2** - The "Intranet Sites: Include all network paths (UNCs)" machine setting should be configured correctly.  
**CCE-876**

FAI  
L

( 5.1.0 and 5.1.1)

-- 5.1.0 --

**Actual**

**Expected / Result**

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 5.1.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">0</value>

</registry\_state>

## 6. InternetZone\_LocalComputer

FAIL

6.1

**AccessDataSourcesAcrossDomains\_InternetZone\_LocalComputer**  
**CCE-10380-4** - The "Access data sources across domains" machine setting should be configured correctly for the Internet Zone.  
**CCE-47**

FAIL

( 6.1.0 and 6.1.1)

-- 6.1.0 --

### Actual

A version of Microsoft Internet Explorer 8 is installed.

### Expected / Result

TRUE

-- 6.1.1 --

### Actual

### Expected / Result

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">3</value>  
</registry\_state>

## AllowCutCopyPasteOperationsFromClipboardViaScript\_InternetZone\_LocalCompute

6.2

**CCE-10002-4** - The "Allow cut, copy or paste operations from the clipboard via script" machine setting should be configured correctly for the Internet Zone.  
**CCE-49**

FAIL

( 6.2.0 and 6.2.1)

-- 6.2.0 --

### Actual

A version of Microsoft Internet Explorer 8 is installed.

### Expected / Result

TRUE

-- 6.2.1 --

### Actual

### Expected / Result

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">3</value>  
</registry\_state>

6.3

**AllowDragDropOrCopyPasteFiles\_InternetZone\_LocalComputer**  
**CCE-10033-9** - The "Allow drag and drop or copy and paste files" machine setting should be configured correctly for the Internet Zone.  
**CCE-685**

FAIL

( 6.3.0 and 6.3.1)

-- 6.3.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.3.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state>

**6.4** **AllowFontDownloads\_InternetZone\_LocalComputer**  
**CCE-10403-4** - The "Allow font downloads" machine setting should be configured correctly for the Internet Zone. **FAIL**  
**CCE-491**

( 6.4.0 and 6.4.1)

-- 6.4.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.4.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state>

**6.5** **AllowInstallationOfDesktopItems\_InternetZone\_LocalComputer**  
**CCE-9790-7** - The "Allow installation of desktop items" machine setting should be configured correctly for the Internet Zone. **FAIL**  
**CCE-355**

( 6.5.0 and 6.5.1)

-- 6.5.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.5.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type>

```
<value datatype="int">3</value>
</registry_state>
```

**6.6 AllowScriptingOfInternetExplorerWebBrowserControl\_InternetZone\_LocalComputer**  
**CCE-9779-0** - The "Allow scripting of Internet Explorer web browser control" current user setting should be configured correctly for the Internet Zone.

FAI  
L

( 6.6.0 and 6.6.1)

-- 6.6.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 6.6.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">3</value>  
</registry\_state>

**6.7 AllowScriptInitiatedWindowsWithoutSizeOrPositionConstraints\_InternetZone\_Local Computer**  
**CCE-9882-2** - The "Allow script-initiated windows without size or position constraints" machine setting should be configured correctly for the Internet Zone.  
**CCE-280**

FAI  
L

( 6.7.0 and 6.7.1)

-- 6.7.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 6.7.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">3</value>  
</registry\_state>

**6.8 AllowScriptlets\_InternetZone\_LocalComputer**  
**CCE-10685-6** - The "Allow Scriptlets" machine setting should be configured correctly for the Internet Zone.  
**CCE-439**

FAI  
L

( 6.8.0 and 6.8.1)

-- 6.8.0 --

**Actual**

**Expected / Result**

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 6.8.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>
```

6.9

**AllowStatusBarUpdatesViaScript\_InternetZone\_LocalComputer**

**CCE-9750-1** - The "Allow status bar updates via script" machine setting should be configured correctly for the Internet Zone.  
**CCE-914**

FAI  
L

( 6.9.0 and 6.9.1)

-- 6.9.0 --

**Actual**

**Expected / Result**

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 6.9.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
<type>reg_dword</type>
<value datatype="int">3</value>
</registry_state>
```

6.10

**AutomaticPromptingFileDownloads\_InternetZone\_LocalComputer**

**CCE-10389-5** - The "Automatic prompting for file downloads" machine setting should be configured correctly for the Internet Zone.  
**CCE-16**

FAI  
L

( 6.10.0 and 6.10.1)

-- 6.10.0 --

**Actual**

**Expected / Result**

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 6.10.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
<type>reg_dword</type>
<value datatype="int">0</value>
</registry_state>
```

6.11

**DownloadSignedActiveXControls\_InternetZone\_LocalComputer**

FAI

	<b>CCE-9917-6</b> - The "Download signed ActiveX controls" machine setting should be configured correctly for the Internet Zone. <b>CCE-1013</b>	L
--	---	---

( 6.11.0 and 6.11.1)

-- 6.11.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.11.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;3&lt;/value&gt; &lt;/registry_state&gt;</pre>

<b>6.12</b>	<b>DownloadUnsignedActiveXControls_InternetZone_LocalComputer</b> <b>CCE-10433-1</b> - The "Download unsigned ActiveX controls" machine setting should be configured correctly for the Internet Zone. <b>CCE-176</b>	FAI L
-------------	--	----------

( 6.12.0 and 6.12.1)

-- 6.12.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.12.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;3&lt;/value&gt; &lt;/registry_state&gt;</pre>

<b>6.13</b>	<b>IncludeLocalDirectoryPathWhenUploadingFilesToAServer_InternetZone_LocalComputer</b> <b>CCE-10646-8</b> - The "Include local directory path when uploading files to a server" machine setting should be configured correctly for the Internet Zone.	FAI L
-------------	--	----------

( 6.13.0 and 6.13.1)

-- 6.13.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.13.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;3&lt;/value&gt; &lt;/registry_state&gt;</pre>

**6.14 InitializeScriptActiveXControlsNotMarkedAsSafe\_InternetZone\_LocalComputer**  
**CCE-10561-9** - The "Initialize and script ActiveX controls not marked as safe" machine setting should be configured correctly for the Internet Zone. **FAIL**  
**CCE-586**

( 6.14.0 and 6.14.1)

-- 6.14.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.14.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;3&lt;/value&gt; &lt;/registry_state&gt;</pre>

**6.15 JavaPermissions\_InternetZone\_LocalComputer**  
**CCE-10182-4** - The "Java permissions" machine setting should be configured correctly for the Internet Zone. **FAIL**  
**CCE-132**

( 6.15.0 and 6.15.1)

-- 6.15.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.15.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;0&lt;/value&gt; &lt;/registry_state&gt;</pre>

**6.16 LaunchingApplicationsAndFilesInIFRAME\_InternetZone\_LocalComputer**  
**CCE-9821-0** - The "Launching applications and files in an IFRAME" machine setting should be configured correctly for the Internet Zone. **FAIL**  
**CCE-689**

( 6.16.0 and 6.16.1)

-- 6.16.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 6.16.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

<b>6.17</b>	<b>LaunchingProgramsAndUnsafeFiles_InternetZone_LocalComputer</b> <b>CCE-10650-0</b> - The "Launching programs and unsafe files" machine setting should be configured correctly for the Internet Zone.	<b>FAIL</b>
-------------	---	-------------

( 6.17.0 and 6.17.1)

-- 6.17.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 6.17.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">1</value>
</registry_state>
```

<b>6.18</b>	<b>LogonOptions_InternetZone_LocalComputer</b> <b>CCE-10472-9</b> - The "Logon options" machine setting should be configured correctly for the Internet Zone. <b>CCE-720</b>	<b>FAIL</b>
-------------	--	-------------

( 6.18.0 and 6.18.1)

-- 6.18.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 6.18.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```

<registry_state>
  <type>reg_dword</type>
  <value datatype="int">65536</value>
</registry_state>

```

<b>6.19</b>	<b>LooseXAMLFiles_InternetZone_LocalComputer</b> <b>CCE-10672-4</b> - The "Loose XAML files" machine setting should be configured correctly for the Internet Zone. <b>CCE-126</b>	<b>FAIL</b>
-------------	---	-------------

( 6.19.0 and 6.19.1)

-- 6.19.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.19.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre> &lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;3&lt;/value&gt; &lt;/registry_state&gt;           </pre>

<b>6.20</b>	<b>NavigateSubFramesAcrossDifferentDomains_InternetZone_LocalComputer</b> <b>CCE-9865-7</b> - The "Navigate windows and frames across different domains" machine setting should be configured correctly for the Internet Zone. <b>CCE-245</b>	<b>FAIL</b>
-------------	---	-------------

( 6.20.0 and 6.20.1)

-- 6.20.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 6.20.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre> &lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;3&lt;/value&gt; &lt;/registry_state&gt;           </pre>

<b>6.21</b>	<b>OnlyAllowApprovedDomainsToUseActiveXControlsWithoutPrompt_InternetZone_LocalComputer</b> <b>CCE-9793-1</b> - The "Only allow approved domains to use ActiveX controls without prompt" machine setting should be configured correctly for the Internet Zone.	<b>FAIL</b>
-------------	---	-------------

( 6.21.0 and 6.21.1)

-- 6.21.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE
<b>-- 6.21.1 --</b>	
Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;3&lt;/value&gt; &lt;/registry_state&gt;</pre>

**OpenFilesBasedOnContent\_InternetZone\_LocalComputer**  
**6.22 CCE-10107-1** - The "Open files based on content, not file extension" machine setting should be configured correctly for the Internet Zone. **FAIL**

( 6.22.0 and 6.22.1)

<b>-- 6.22.0 --</b>	
Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE
<b>-- 6.22.1 --</b>	
Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;3&lt;/value&gt; &lt;/registry_state&gt;</pre>

**RunNETFrameworkReliantComponentsNotSignedWithAuthenticode\_InternetZone\_LocalComputer**  
**6.23 CCE-10515-5** - The "Run .NET Framework-reliant components signed with Authenticode" machine setting should be configured correctly for the Internet Zone. **FAIL**

( 6.23.0 and 6.23.1)

<b>-- 6.23.0 --</b>	
Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE
<b>-- 6.23.1 --</b>	
Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;3&lt;/value&gt; &lt;/registry_state&gt;</pre>

**RunNETFrameworkReliantComponentsSignedWithAuthenticode\_InternetZone\_LocalComputer**  
**6.24 CCE-10625-2** - The "Run .NET Framework-reliant components not signed with Authenticode" machine setting should be configured correctly for the Internet Zone. FAI  
L

( 6.24.0 and 6.24.1)

-- 6.24.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 6.24.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

<b>6.25</b>	<b>SoftwareChannelPermissions_InternetZone_LocalComputer</b> <b>CCE-10425-7</b> - The "Software channel permissions" machine setting should be configured correctly for the Internet Zone. <b>CCE-359</b>	FAI L
-------------	---	----------

( 6.25.0 and 6.25.1)

-- 6.25.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 6.25.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">65536</value>
</registry_state>
```

<b>6.26</b>	<b>TurnOffFirstRunOptIn_InternetZone_LocalComputer</b> <b>CCE-10434-9</b> - The "Turn Off First-Run Opt-In" machine setting should be configured correctly for the Internet Zone. <b>CCE-863</b>	FAI L
-------------	--	----------

( 6.26.0 and 6.26.1)

-- 6.26.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 6.26.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">0</value>
</registry_state>
```

**6.27 TurnonCrossSiteScriptingFilter\_InternetZone\_LocalComputer**  
**CCE-10276-4** - The "Turn on Cross-Site Scripting (XSS) Filter" machine setting should be configured correctly for the Internet Zone.

FAI  
L

( 6.27.0 and 6.27.1)

-- 6.27.0 --

**Actual**

**Expected / Result**

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 6.27.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">0</value>
</registry_state>
```

**6.28 TurnOnProtectedMode\_InternetZone\_LocalComputer**  
**CCE-10676-5** - The "Turn on Protected Mode" machine setting should be configured correctly for the Internet Zone.  
**CCE-281**

FAI  
L

( 6.28.0 and 6.28.1)

-- 6.28.0 --

**Actual**

**Expected / Result**

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 6.28.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">0</value>
</registry_state>
```

**6.29 UsePop-upBlocker\_InternetZone\_LocalComputer**  
**CCE-10486-9** - The "Use Pop-up Blocker" machine setting should be configured correctly for the Internet Zone.  
**CCE-1002**

FAI  
L

( 6.29.0 and 6.29.1)

-- 6.29.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 6.29.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>  
<type>reg_dword</type>  
<value datatype="int">0</value>  
</registry_state>
```

**6.30** **UserdataPersistence\_InternetZone\_LocalComputer**  
**CCE-10200-4** - The "Userdata persistence" machine setting should be configured correctly for the Internet Zone. **FAIL**  
**CCE-425** **L**

( 6.30.0 and 6.30.1)

-- 6.30.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 6.30.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>  
<type>reg_dword</type>  
<value datatype="int">3</value>  
</registry_state>
```

**6.31** **WebSitesInLessPrivilegedWebContentZonesCanNavigateIntoThisZone\_InternetZone\_LocalComputer**  
**CCE-10622-9** - The "Web sites in less privileged Web content zones can navigate into this zone" machine setting should be configured correctly for the Internet Zone. **FAIL**  
**CCE-724** **L**

( 6.31.0 and 6.31.1)

-- 6.31.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 6.31.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
`<registry_state>`  
`<type>reg_dword</type>`  
`<value datatype="int">3</value>`  
`</registry_state>`

## 7. IntranetZone\_LocalComputer

**FAI  
L**

**7.1** **JavaPermissions\_IntranetZone\_LocalComputer**  
**CCE-10566-8** - The "Java permissions" machine setting should be configured correctly for the Intranet Zone.  
**CCE-218**

**FAI  
L**

( 7.1.0 and 7.1.1)

-- 7.1.0 --

### Actual

A version of Microsoft Internet Explorer 8 is installed.

### Expected / Result

TRUE

-- 7.1.1 --

### Actual

### Expected / Result

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
`<registry_state>`  
`<type>reg_dword</type>`  
`<value operation="less than or equal" datatype="int">65536</value>`  
`</registry_state>`

## 8. LocalMachineZone\_LocalComputer

**FAI  
L**

**8.1** **JavaPermissions\_LocalMachineZone\_LocalComputer**  
**CCE-10319-2** - The "Java permissions" machine setting should be configured correctly for the Local Machine Zone.  
**CCE-138**

**FAI  
L**

( 8.1.0 and 8.1.1)

-- 8.1.0 --

### Actual

A version of Microsoft Internet Explorer 8 is installed.

### Expected / Result

TRUE

-- 8.1.1 --

### Actual

### Expected / Result

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
`<registry_state>`  
`<type>reg_dword</type>`  
`<value datatype="int">0</value>`  
`</registry_state>`

## 9. LockedDownInternetZone\_LocalComputer

**FAI**

		<b>L</b>
<b>9.1</b>	<b>DownloadSignedActiveXControls_LockedDownInternetZone_LocalComputer</b> <b>CCE-10095-8</b> - The "Download signed ActiveX controls" machine setting should be configured correctly for the Locked-Down Internet Zone. <b>CCE-308</b>	<b>FAIL</b>

( 9.1.0 and 9.1.1)

-- 9.1.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 9.1.1 --

Actual	Expected / Result
--------	-------------------

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

<b>JavaPermissions_LockedDownInternetZone_LocalComputer</b> <b>CCE-10597-3</b> - The "Java permissions" machine setting should be configured correctly for the Locked-Down Internet Zone. <b>CCE-781</b>		<b>FAIL</b>
--	--	-------------

( 9.2.0 and 9.2.1)

-- 9.2.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 9.2.1 --

Actual	Expected / Result
--------	-------------------

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">0</value>
</registry_state>
```

<b>10. LockedDownIntranetZone_LocalComputer</b>		<b>FAIL</b>
---	--	-------------

<b>10.1</b>	<b>JavaPermissions_LockedDownIntranetZone_LocalComputer</b> <b>CCE-10342-4</b> - The "Java permissions" machine setting should be configured correctly for the Locked-Down Intranet Zone. <b>CCE-320</b>	<b>FAIL</b>
-------------	--	-------------

( 10.1.0 and 10.1.1)

-- 10.1.0 --

Actual		Expected / Result
A version of Microsoft Internet Explorer 8 is installed.		TRUE
<b>-- 10.1.1 --</b>		
Actual		Expected / Result
		If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;0&lt;/value&gt; &lt;/registry_state&gt;</pre>
<b>11. LockedDownLocalMachineZone_LocalComputer</b>		<b>FAIL</b>
<b>11.1</b>	<b>JavaPermissions_LockedDownLocalMachineZone_LocalComputer</b> <b>CCE-10535-3</b> - The "Java permissions" machine setting should be configured correctly for the Locked-Down Local Machine Zone. <b>CCE-1045</b>	<b>FAIL</b>
( 11.1.0 and 11.1.1)		
<b>-- 11.1.0 --</b>		
Actual		Expected / Result
A version of Microsoft Internet Explorer 8 is installed.		TRUE
<b>-- 11.1.1 --</b>		
Actual		Expected / Result
		If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;0&lt;/value&gt; &lt;/registry_state&gt;</pre>
<b>12. LockedDownRestrictedSitesZone_LocalComputer</b>		<b>FAIL</b>
<b>12.1</b>	<b>JavaPermissions_LockedDownRestrictedSitesZone_LocalComputer</b> <b>CCE-10275-6</b> - The "Java permissions" machine setting should be configured correctly for the Locked-Down Restricted Sites Zone. <b>CCE-1088</b>	<b>FAIL</b>
( 12.1.0 and 12.1.1)		
<b>-- 12.1.0 --</b>		
Actual		Expected / Result
A version of Microsoft Internet Explorer 8 is installed.		TRUE
<b>-- 12.1.1 --</b>		
Actual		Expected / Result
		If 'Actual' data meets existence peice: at_least_one_exists,

then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">0</value>
</registry_state>
```

### 13. LockedDownTrustedSitesZone\_LocalComputer

FAIL

13.1	<b>JavaPermissions_LockedDownTrustedSitesZone_LocalComputer</b>	FAIL
	<b>CCE-10654-2</b> - The "Java permissions" machine setting should be configured correctly for the Locked-Down Trusted Sites Zone. <b>CCE-140</b>	

( 13.1.0 and 13.1.1)

#### -- 13.1.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

#### -- 13.1.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;0&lt;/value&gt; &lt;/registry_state&gt;</pre>

### 14. RestrictedSitesZone\_LocalComputer

FAIL

14.1	<b>AccessDataSourcesAcrossDomains_RestrictedSitesZone_LocalComputer</b>	FAIL
	<b>CCE-10525-4</b> - The "Access data sources across domains" machine setting should be configured correctly for the Restricted Sites Zone. <b>CCE-636</b>	

( 14.1.0 and 14.1.1)

#### -- 14.1.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

#### -- 14.1.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;3&lt;/value&gt; &lt;/registry_state&gt;</pre>

14.2	<b>AllowActiveScripting_RestrictedSitesZone_LocalComputer</b>	FAIL
	<b>CCE-10393-7</b> - The "Allow active scripting" machine setting should be configured correctly for	

the Restricted Sites Zone.  
**CCE-292**

( 14.2.0 and 14.2.1)

-- 14.2.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.2.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">3</value>  
</registry\_state>

<b>14.3</b>	<b>AllowBinaryAndScriptBehaviors_RestrictedSitesZone_LocalComputer</b> <b>CCE-10547-8</b> - The "Allow binary and script behaviors" machine setting should be configured correctly for the Restricted Sites Zone. <b>CCE-178</b>	<b>FAIL</b>
-------------	--	-------------

( 14.3.0 and 14.3.1)

-- 14.3.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.3.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">3</value>  
</registry\_state>

<b>14.4</b>	<b>AllowCutCopyPasteOperationsFromClipboardViaScript_RestrictedSitesZone_LocalComputer</b> <b>CCE-10539-5</b> - The "Allow cut, copy or paste operations from the clipboard via script" machine setting should be configured correctly for the Restricted Sites Zone. <b>CCE-1031</b>	<b>FAIL</b>
-------------	---	-------------

( 14.4.0 and 14.4.1)

-- 14.4.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.4.1 --

**Actual****Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

**14.5**

**AllowDragDropOrCopyPasteFiles\_RestrictedSitesZone\_LocalComputer**  
**CCE-9667-7** - The "Allow drag and drop or copy and paste files" machine setting should be configured correctly for the Restricted Sites Zone.  
**CCE-41**

**FAI**  
**L**

( 14.5.0 and 14.5.1)

-- 14.5.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.5.1 --

**Actual****Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

**14.6**

**AllowFileDownloads\_RestrictedSitesZone\_LocalComputer**  
**CCE-10466-1** - The "Allow file downloads" machine setting should be configured correctly for the Restricted Sites Zone.  
**CCE-970**

**FAI**  
**L**

( 14.6.0 and 14.6.1)

-- 14.6.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.6.1 --

**Actual****Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

**14.7**

**AllowFontDownloads\_RestrictedSitesZone\_LocalComputer**  
**CCE-9982-0** - The "Allow font downloads" machine setting should be configured correctly for the Restricted Sites Zone.  
**CCE-882**

**FAI**  
**L**

( 14.7.0 and 14.7.1)

-- 14.7.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.7.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">3</value>  
</registry\_state>

**14.8 AllowInstallationOfDesktopItems\_RestrictedSitesZone\_LocalComputer**  
**CCE-10475-2** - The "Allow installation of desktop items" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**  
**CCE-763** **L**

( 14.8.0 and 14.8.1)

-- 14.8.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.8.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">3</value>  
</registry\_state>

**14.9 AllowScriptingOfInternetExplorerWebBrowserControl\_RestrictedSitesZone\_LocalComputer**  
**CCE-10725-0** - The "Allow scripting of Internet Explorer web browser control" current user setting should be configured correctly for the Restricted Sites Zone. **FAIL**  
**L**

( 14.9.0 and 14.9.1)

-- 14.9.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.9.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of

```

ALL of the following states:
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>

```

**14.1** **0** **AllowMETAREFRESH\_RestrictedSitesZone\_LocalComputer**  
**CCE-10664-1** - The "Allow META REFRESH" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**  
**CCE-680**

( 14.10.0 and 14.10.1)

-- 14.10.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.10.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
 <registry\_state>  
 <type>reg\_dword</type>  
 <value datatype="int">3</value>  
 </registry\_state>

**14.1** **1** **AllowScriptInitiatedWindowsWithoutSizeOrPositionConstraints\_RestrictedSitesZone\_LocalComputer**  
**CCE-9814-5** - The "Allow script-initiated windows without size or position constraints" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**  
**CCE-208**

( 14.11.0 and 14.11.1)

-- 14.11.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.11.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
 <registry\_state>  
 <type>reg\_dword</type>  
 <value datatype="int">3</value>  
 </registry\_state>

**14.1** **2** **AllowScriptlets\_RestrictedSitesZone\_LocalComputer**  
**CCE-10630-2** - The "Allow Scriptlets" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**

( 14.12.0 and 14.12.1)

-- 14.12.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.12.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

14.1  
3

**AllowStatusBarUpdatesViaScript\_RestrictedSitesZone\_LocalComputer**  
**CCE-10431-5** - The "Allow status bar updates via script" machine setting should be configured correctly for the Restricted Sites Zone.  
**CCE-129**

FAI  
L

( 14.13.0 and 14.13.1)

-- 14.13.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.13.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

14.1  
4

**AutomaticPromptingFileDownloads\_RestrictedSitesZone\_LocalComputer**  
**CCE-9959-8** - The "Automatic prompting for file downloads" machine setting should be configured correctly for the Restricted Sites Zone.  
**CCE-175**

FAI  
L

( 14.14.0 and 14.14.1)

-- 14.14.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.14.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
```

```
<value datatype="int">3</value>
</registry_state>
```

<b>14.1</b> <b>5</b>	<b>DownloadSignedActiveXControls_RestrictedSitesZone_LocalComputer</b> <b>CCE-10470-3</b> - The "Download signed ActiveX controls" machine setting should be configured correctly for the Restricted Sites Zone. <b>CCE-52</b>	<b>FAIL</b>
-------------------------	--	-------------

( 14.15.0 and 14.15.1)

-- 14.15.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 14.15.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state>

<b>14.1</b> <b>6</b>	<b>DownloadUnsignedActiveXControls_RestrictedSitesZone_LocalComputer</b> <b>CCE-10461-2</b> - The "Download unsigned ActiveX controls" machine setting should be configured correctly for the Restricted Sites Zone. <b>CCE-1012</b>	<b>FAIL</b>
-------------------------	--	-------------

( 14.16.0 and 14.16.1)

-- 14.16.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 14.16.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state>

<b>14.1</b> <b>7</b>	<b>IncludeLocalDirectoryPathWhenUploadingFilesToAServer_RestrictedSitesZone_Loca</b> <b>Computer</b> <b>CCE-9781-6</b> - The "Include local directory path when uploading files to a server" machine setting should be configured correctly for the Restricted Sites Zone.	<b>FAIL</b>
-------------------------	--	-------------

( 14.17.0 and 14.17.1)

-- 14.17.0 --

Actual	Expected / Result

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 14.17.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">3</value>  
</registry\_state>

**InitializeScriptActiveXControlsNotMarkedAsSafe\_RestrictedSitesZone\_LocalComput**

**14.18** <sup>er</sup>  
**8** **CCE-10347-3** - The "Initialize and script ActiveX controls not marked as safe" machine setting should be configured correctly for the Restricted Sites Zone.  
**CCE-26**

**FAIL**

( 14.18.0 and 14.18.1)

-- 14.18.0 --

**Actual**

**Expected / Result**

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 14.18.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">3</value>  
</registry\_state>

**14.19**  
**9** **JavaPermissions\_RestrictedSitesZone\_LocalComputer**  
**CCE-10620-3** - The "Java permissions" machine setting should be configured correctly for the Restricted Sites Zone.  
**CCE-1088**

**FAIL**

( 14.19.0 and 14.19.1)

-- 14.19.0 --

**Actual**

**Expected / Result**

A version of Microsoft Internet Explorer 8 is installed.

TRUE

-- 14.19.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">0</value>  
</registry\_state>

**14.2** **LaunchingApplicationsAndFilesInIFRAME\_RestrictedSitesZone\_LocalComputer**  
**0** **CCE-10360-6** - The "Launching applications and files in an IFRAME" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**

( 14.20.0 and 14.20.1)

-- 14.20.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.20.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
 <registry\_state>  
 <type>reg\_dword</type>  
 <value datatype="int">3</value>  
 </registry\_state>

**14.2** **LaunchingProgramsAndUnsafeFiles\_RestrictedSitesZone\_LocalComputer**  
**1** **CCE-10744-1** - The "Launching programs and unsafe files" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**

( 14.21.0 and 14.21.1)

-- 14.21.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.21.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
 <registry\_state>  
 <type>reg\_dword</type>  
 <value datatype="int">3</value>  
 </registry\_state>

**14.2** **LogonOptions\_RestrictedSitesZone\_LocalComputer**  
**2** **CCE-10651-8** - The "Logon options" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**  
**CCE-128**

( 14.22.0 and 14.22.1)

-- 14.22.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.22.1 --

**Actual****Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">196608</value>
</registry_state>
```

<b>14.2</b> <b>3</b>	<b>LooseXAMLFiles_RestrictedSitesZone_LocalComputer</b> <b>CCE-10178-2</b> - The "Loose XAML files" machine setting should be configured correctly for the Restricted Sites Zone. <b>CCE-639</b>	<b>FAI</b> <b>L</b>
-------------------------	--	------------------------

( 14.23.0 and 14.23.1)

-- 14.23.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.23.1 --

**Actual****Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

<b>14.2</b> <b>4</b>	<b>NavigateSub-framesAcrossDifferentDomains_RestrictedSitesZone_LocalComputer</b> <b>CCE-10642-7</b> - The "Navigate windows and frames across different domains" machine setting should be configured correctly for the Restricted Sites Zone. <b>CCE-995</b>	<b>FAI</b> <b>L</b>
-------------------------	--	------------------------

( 14.24.0 and 14.24.1)

-- 14.24.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.24.1 --

**Actual****Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

<b>14.2</b> <b>5</b>	<b>OnlyAllowApprovedDomainsToUseActiveXControlsWithoutPrompt_RestrictedSitesZone_LocalComputer</b> <b>CCE-9832-7</b> - The "Only allow approved domains to use ActiveX controls without prompt" machine setting should be configured correctly for the Restricted Sites Zone.	<b>FAI</b> <b>L</b>
-------------------------	--	------------------------

( 14.25.0 and 14.25.1)

-- 14.25.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.	TRUE
--	------

-- 14.25.1 --

Actual	Expected / Result
--------	-------------------

	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state>
--	--

**OpenFilesBasedOnContent\_RestrictedSitesZone\_LocalComputer**  
**14.2 CCE-10277-2** - The "Open files based on content, not file extension" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**  
**6 CCE-409**

( 14.26.0 and 14.26.1)

-- 14.26.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.	TRUE
--	------

-- 14.26.1 --

Actual	Expected / Result
--------	-------------------

	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_dword</type> <value datatype="int">3</value> </registry_state>
--	--

**RunNETFrameworkReliantComponentsNotSignedWithAuthenticode\_RestrictedSitesZone\_LocalComputer**  
**14.2 CCE-9898-8** - The "Run .NET Framework-reliant components not signed with Authenticode" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**  
**7 CCE-678**

( 14.27.0 and 14.27.1)

-- 14.27.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.	TRUE
--	------

-- 14.27.1 --

Actual	Expected / Result
--------	-------------------

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
 <registry\_state>  
 <type>reg\_dword</type>  
 <value datatype="int">3</value>  
 </registry\_state>

**14.2.8 e\_LocalComputer CCE-9673-5** - The "Run .NET Framework-reliant components signed with Authenticode" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**  
**CCE-563**

( 14.28.0 and 14.28.1)

-- 14.28.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.28.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
 <registry\_state>  
 <type>reg\_dword</type>  
 <value datatype="int">3</value>  
 </registry\_state>

**14.2.9 RunActiveXControlsAndPlugins\_RestrictedSitesZone\_LocalComputer CCE-9792-3** - The "Run ActiveX controls and plugins" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**  
**CCE-841**

( 14.29.0 and 14.29.1)

-- 14.29.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.29.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
 <registry\_state>  
 <type>reg\_dword</type>  
 <value datatype="int">3</value>  
 </registry\_state>

**14.3.0 ScriptActiveXControlsMarkedSafeForScripting\_RestrictedSitesZone\_LocalComputer CCE-10554-4** - The "Script ActiveX controls marked safe for scripting" machine setting should be configured correctly for the Restricted Sites Zone. **FAIL**  
**CCE-973**

( 14.30.0 and 14.30.1)

-- 14.30.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.30.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

<b>14.3</b> <b>1</b>	<b>ScriptingOfJavaApplets_RestrictedSitesZone_LocalComputer</b> <b>CCE-10083-4</b> - The "Scripting of Java applets" machine setting should be configured correctly for the Restricted Sites Zone. <b>CCE-1000</b>	<b>FAIL</b>
-------------------------	--	-------------

( 14.31.0 and 14.31.1)

-- 14.31.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.31.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

<b>14.3</b> <b>2</b>	<b>SoftwareChannelPermissions_RestrictedSitesZone_LocalComputer</b> <b>CCE-9669-3</b> - The "Software channel permissions" machine setting should be configured correctly for the Restricted Sites Zone. <b>CCE-520</b>	<b>FAIL</b>
-------------------------	---	-------------

( 14.32.0 and 14.32.1)

-- 14.32.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.32.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of

ALL of the following states:  
`<registry_state>`  
`<type>reg_dword</type>`  
`<value datatype="int">65536</value>`  
`</registry_state>`

<b>14.3</b> <b>3</b>	<b>TurnOffFirstRunOptIn_RestrictedSitesZone_LocalComputer</b> <b>CCE-10420-8</b> - The "Turn Off First-Run Opt-In" machine setting should be configured correctly for the Restricted Sites Zone. <b>CCE-200</b>	<b>FAIL</b>
-------------------------	---	-------------

( 14.33.0 and 14.33.1)

-- 14.33.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.	TRUE
--	------

-- 14.33.1 --

Actual	Expected / Result
--------	-------------------

	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <code>&lt;registry_state&gt;</code> <code>&lt;type&gt;reg_dword&lt;/type&gt;</code> <code>&lt;value datatype="int"&gt;0&lt;/value&gt;</code> <code>&lt;/registry_state&gt;</code>
--	--

<b>14.3</b> <b>4</b>	<b>TurnonCrossSiteScriptingFilter_RestrictedSitesZone_LocalComputer</b> <b>CCE-10105-5</b> - The "Turn on Cross-Site Scripting (XSS) Filter" machine setting should be configured correctly for the Restricted Sites Zone.	<b>FAIL</b>
-------------------------	---	-------------

( 14.34.0 and 14.34.1)

-- 14.34.0 --

Actual	Expected / Result
--------	-------------------

A version of Microsoft Internet Explorer 8 is installed.	TRUE
--	------

-- 14.34.1 --

Actual	Expected / Result
--------	-------------------

	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <code>&lt;registry_state&gt;</code> <code>&lt;type&gt;reg_dword&lt;/type&gt;</code> <code>&lt;value datatype="int"&gt;0&lt;/value&gt;</code> <code>&lt;/registry_state&gt;</code>
--	--

<b>14.3</b> <b>5</b>	<b>TurnOnProtectedMode_RestrictedSitesZone_LocalComputer</b> <b>CCE-9945-7</b> - The "Turn on Protected Mode" machine setting should be configured correctly for the Restricted Sites Zone. <b>CCE-1211</b>	<b>FAIL</b>
-------------------------	---	-------------

( 14.35.0 and 14.35.1)

-- 14.35.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE
<b>-- 14.35.1 --</b>	
Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;0&lt;/value&gt; &lt;/registry_state&gt;</pre>

**14.3 CCE-10094-1** - The "Use Pop-up Blocker" machine setting should be configured correctly for the Restricted Sites Zone. **FAI L**  
**CCE-660**

( 14.36.0 and 14.36.1)

<b>-- 14.36.0 --</b>	
Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE
<b>-- 14.36.1 --</b>	
Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;0&lt;/value&gt; &lt;/registry_state&gt;</pre>

**14.3 CCE-9760-0** - The "Userdata persistence" machine setting should be configured correctly for the Restricted Sites Zone. **FAI L**  
**CCE-28**

( 14.37.0 and 14.37.1)

<b>-- 14.37.0 --</b>	
Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE
<b>-- 14.37.1 --</b>	
Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre>&lt;registry_state&gt;   &lt;type&gt;reg_dword&lt;/type&gt;   &lt;value datatype="int"&gt;3&lt;/value&gt; &lt;/registry_state&gt;</pre>

**14.3.8** **WebSitesInLessPrivilegedWebContentZonesCanNavigateIntoThisZone\_RestrictedSitesZone\_LocalComputer**  
**CCE-10609-6** - The "Web sites in less privileged Web content zones can navigate into this zone" machine setting should be configured correctly for the Restricted Sites Zone.  
**CCE-698** FAI  
L

( 14.38.0 and 14.38.1)

-- 14.38.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 14.38.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">3</value>
</registry_state>
```

**15. TrustedSitesZone\_LocalComputer**

FAI  
L

**15.1** **JavaPermissions\_TrustedSitesZone\_LocalComputer**  
**CCE-10696-3** - The "Java permissions" machine setting should be configured correctly for the Trusted Sites Zone.  
**CCE-675**

FAI  
L

( 15.1.0 and 15.1.1)

-- 15.1.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 15.1.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:

```
<registry_state>
  <type>reg_dword</type>
  <value datatype="int">65536</value>
</registry_state>
```

**16. periodic\_check\_for\_updates\_policy**

FAI  
L

**16.1** **TurnOffChangingURLDisplay\_LocalComputer**  
**CCE-10595-7** - The "Turn off changing the URL to be displayed for checking updates to Internet Explorer and Internet Tools" machine setting should be configured correctly.  
**CCE-946**

FAI  
L

( 16.1.0 and 16.1.1)

-- 16.1.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 16.1.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_sz</type>  
<value datatype="string"></value>  
</registry\_state>

**16.2 TurnOffConfiguringUpdateCheckInterval\_LocalComputer**  
**CCE-9776-6** - The "Turn off configuring the update check interval (in days)" machine setting should be configured correctly. **FAI**  
**CCE-237** **L**

( 16.2.0 and 16.2.1)

-- 16.2.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 16.2.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_dword</type>  
<value datatype="int">30</value>  
</registry\_state>

**17. ConsistentMimeHandling\_LocalComputer**

**FAI**  
**L**

**17.1**

**IEProcesses\_ConsistentMimeHandling\_LocalComputer**  
**CCE-10138-6** - The "Consistent Mime Handling: Internet Explorer Processes" machine setting should be configured correctly.  
**CCE-382**

**FAI**  
**L**

( 17.1.0 and 17.1.1 and 17.1.2 and 17.1.3)

-- 17.1.0 --

**Actual**

A version of Microsoft Internet Explorer 8 is installed.

**Expected / Result**

TRUE

-- 17.1.1 --

**Actual**

**Expected / Result**

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of

	ALL of the following states: <registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state>
--	---

-- 17.1.2 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state>

-- 17.1.3 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state>

<b>18. MimeSniffingSafetyFeature_LocalComputer</b>	<b>FAIL</b>
--	-------------

<b>18.1 IEPProcesses_MimeSniffingSafetyFeature_LocalComputer</b>	
<b>CCE-10635-1</b> - The "Mime Sniffing Safety Feature: Internet Explorer Processes" machine setting should be configured correctly.	<b>FAIL</b>
<b>CCE-985</b>	<b>L</b>

( 18.1.0 and 18.1.1 and 18.1.2 and 18.1.3)

-- 18.1.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 18.1.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state>

-- 18.1.2 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state>

	<pre>&lt;type&gt;reg_sz&lt;/type&gt; &lt;value datatype="int"&gt;1&lt;/value&gt; &lt;/registry_state&gt;</pre>
--	--

**-- 18.1.3 --**

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt; &lt;type&gt;reg_sz&lt;/type&gt; &lt;value datatype="int"&gt;1&lt;/value&gt; &lt;/registry_state&gt;</pre>

**19. MKProtocolSecurityRestriction\_LocalComputer** **FAIL**

<b>19.1</b>	<b>IEProcesses_MKProtocolSecurityRestriction_LocalComputer</b> <b>CCE-10265-7</b> - The "MK Protocol Security Restriction: Internet Explorer Processes" machine setting should be configured correctly. <b>CCE-591</b>	<b>FAIL</b>
-------------	--	-------------

( 19.1.0 and 19.1.1 and 19.1.2 and 19.1.3)

**-- 19.1.0 --**

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

**-- 19.1.1 --**

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt; &lt;type&gt;reg_sz&lt;/type&gt; &lt;value datatype="int"&gt;1&lt;/value&gt; &lt;/registry_state&gt;</pre>

**-- 19.1.2 --**

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt; &lt;type&gt;reg_sz&lt;/type&gt; &lt;value datatype="int"&gt;1&lt;/value&gt; &lt;/registry_state&gt;</pre>

**-- 19.1.3 --**

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <pre>&lt;registry_state&gt; &lt;type&gt;reg_sz&lt;/type&gt; &lt;value datatype="int"&gt;1&lt;/value&gt;</pre>

</registry\_state>

## 20. ProtectionFromZoneElevation\_LocalComputer

FAIL

20.1	<b>IEProcesses_ProtectionFromZoneElevation_LocalComputer</b> <b>CCE-10574-2</b> - The "Protection From Zone Elevation: Internet Explorer Processes" machine setting should be configured correctly. <b>CCE-347</b>	FAIL
------	--	------

( 20.1.0 and 20.1.1 and 20.1.2 and 20.1.3)

### -- 20.1.0 --

#### Actual

A version of Microsoft Internet Explorer 8 is installed.

#### Expected / Result

TRUE

### -- 20.1.1 --

#### Actual

#### Expected / Result

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_sz</type>  
<value datatype="int">1</value>  
</registry\_state>

### -- 20.1.2 --

#### Actual

#### Expected / Result

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_sz</type>  
<value datatype="int">1</value>  
</registry\_state>

### -- 20.1.3 --

#### Actual

#### Expected / Result

If 'Actual' data meets existence peice: at\_least\_one\_exists, then 'Actual' data must meet the criteria of ALL of the following states:  
<registry\_state>  
<type>reg\_sz</type>  
<value datatype="int">1</value>  
</registry\_state>

## 21. RestrictActiveXInstall\_LocalComputer

FAIL

21.1	<b>IEProcesses_RestrictActiveXInstall_LocalComputer</b> <b>CCE-10405-9</b> - The "Restrict ActiveX Install: Internet Explorer Processes" machine setting should be configured correctly. <b>CCE-119</b>	FAIL
------	---	------

( 21.1.0 and 21.1.1 and 21.1.2 and 21.1.3)

-- 21.1.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 21.1.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state>

-- 21.1.2 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state>

-- 21.1.3 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state> <type>reg_sz</type> <value datatype="int">1</value> </registry_state>

**22. RestrictFileDownload\_LocalComputer** **FAIL**

<b>22.1</b>	<b>IEProcesses_RestrictFileDownload_LocalComputer</b> <b>CCE-10578-3</b> - The "Restrict File Download: Internet Explorer Processes" machine setting should be configured correctly. <b>CCE-668</b>	<b>FAIL</b>
-------------	---	-------------

( 22.1.0 and 22.1.1 and 22.1.2 and 22.1.3)

-- 22.1.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 22.1.1 --

Actual	Expected / Result
	If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states: <registry_state>

	<pre>&lt;type&gt;reg_sz&lt;/type&gt; &lt;value datatype="int"&gt;1&lt;/value&gt; &lt;/registry_state&gt;</pre>
--	--

-- 22.1.2 --

Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre>&lt;registry_state&gt; &lt;type&gt;reg_sz&lt;/type&gt; &lt;value datatype="int"&gt;1&lt;/value&gt; &lt;/registry_state&gt;</pre>

-- 22.1.3 --

Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre>&lt;registry_state&gt; &lt;type&gt;reg_sz&lt;/type&gt; &lt;value datatype="int"&gt;1&lt;/value&gt; &lt;/registry_state&gt;</pre>

**23. ScriptedWindowSecurityRestrictions\_LocalComputer**

**FAI  
L**

<b>23.1</b>	<p><b>IEProcesses_ScriptedWindowSecurityRestrictions_LocalComputer</b>  <b>CCE-10604-7</b> - The "Scripted Window Security Restrictions: Internet Explorer Processes" machine setting should be configured correctly.  <b>CCE-827</b></p>	<b>FAI L</b>
-------------	---	------------------

( 23.1.0 and 23.1.1 and 23.1.2 and 23.1.3)

-- 23.1.0 --

Actual	Expected / Result
A version of Microsoft Internet Explorer 8 is installed.	TRUE

-- 23.1.1 --

Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre>&lt;registry_state&gt; &lt;type&gt;reg_sz&lt;/type&gt; &lt;value datatype="int"&gt;1&lt;/value&gt; &lt;/registry_state&gt;</pre>

-- 23.1.2 --

Actual	Expected / Result
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre>&lt;registry_state&gt; &lt;type&gt;reg_sz&lt;/type&gt; &lt;value datatype="int"&gt;1&lt;/value&gt;</pre>

		</registry_state>	
<b>-- 23.1.3 --</b>			
<b>Actual</b>	<b>Expected / Result</b>		
	<p>If 'Actual' data meets existence peice: at_least_one_exists, then 'Actual' data must meet the criteria of ALL of the following states:</p> <pre> &lt;registry_state&gt;   &lt;type&gt;reg_sz&lt;/type&gt;   &lt;value datatype="int"&gt;1&lt;/value&gt; &lt;/registry_state&gt; </pre>		
<b>24. security_patches</b>			<b>FAIL</b>
<b>24.1</b>	<b>security_patches_up_to_date</b>		<b>FAIL</b>